

Technical Rule no. 03 Rev. 02 PAR

Pag 1 of 2

# Technical Rule no. 03 rev.02 PAR

(pursuant to Article 4 of the Regulation of the Platform for the Allocation of Regasification Capacity, approved by Autorità di Regolazione per Energia Rete e Ambiente with Resolution 111/2018/R/gas)

Title	Units of measurement
Reference Legislation	Article 5, paragraph 5.1, of the Regulation

Published on 9 July 2018



## Technical Rule no. 03 Rev. 02 PAR

Pag 2 of 2

### 1. Foreword

Article 5.1 of the Regulation provides that for the purposes of the Regulation, GME shall adopt the units of measurement indicated in the Technical Rules.

### 2. Units of measurement

#### In the PAR:

- a) the unit of measurement of the tradable as part of the procedures for the allocation of capacity during the thermal year and the capacity no longer available in auction amount is the slot;
- b) the unit of measurement of the tradable amounts within the procedures for the allocation of annual and multi-annual capacity is:
  - the m3liq on the OLT segment;
  - the slot, on the GNL Italia segment.
- c) the unit of measurement of the currency is the Euro, specified with two decimal places;
- d) the unit of measurement for unit prices of the regasification capacity and ancillary costs is Euro/m3liq, specified with 6 (six) decimal places.