

IDENTIFICATIVO: **PIP Implementation Guide ver. 2.0**

DATA: **10/09/2021**

TIPO DOCUMENTO: **Implementation Guide**

APPLICAZIONE: **G.M.E. S.p.A.**

Piattaforma Informazioni Privilegiate Implementation Guide

Registro delle Revisioni

Rev.	Data	Proposta n.	Descrizione
00	15/12/2015	n.a.	Prima emissione
01	10/09/2021	n.a	Adeguamento degli schemi XSD UMM Power e GAS alla versione 2 di ACER

SOMMARIO

Contents

SOMMARIO.....	3
INTRODUZIONE	5
SCOPO DEL DOCUMENTO	5
FLUSSI DI INSERIMENTO.....	5
Di seguito l'ordine di inserimento delle informazioni:.....	5
1. Asset Power	5
2. UMM Power.....	5
1. Asset Gas	5
2. UMM Gas.....	5
1. Market Information	5
FORMATO DEGLI SCHEMI.....	5
GasAssetManagement.XSD	5
PowerAssetManagementFormat.XSD.....	6
GasUmmManagementFormat.XSD	8
PowerUmmManagementFormat.XSD	9
MarketInformationManagement.XSD.....	10
SimpleTypesv1_0.XSD	11
TRANSAZIONI XML MESSE A DISPOSIZIONE DEGLI OPERATORI.....	16
FUNCTIONAL ACKNOWLEDGMENT	16
FUNCTIONAL ACKNOWLEDGMENT POSITIVO.....	16

FUNCTIONAL ACKNOWLEDGMENT NEGATIVO.....	16
FUNCTIONALACKNOWLEDGEMENT.XSD.....	17
ANAGRAFICA DEGLI ASSET	19
SOTTOMISSIONE DI UN Asset Gas	19
REPLACE DI UN Asset Gas	20
REVOCA DI UN Asset Gas	21
SOTTOMISSIONE DI UN Asset Power	23
REPLACE DI UN Asset Power	24
REVOCA DI UN Asset Power	25
GESTIONE DEGLI UMM.....	28
SOTTOMISSIONE DI UN UMM Gas	28
REPLACE DI UN UMM Gas.....	29
REVOCA DI UN UMM Gas.....	30
SOTTOMISSIONE DI UN UMM Power	31
REPLACE DI UN UMM Power.....	33
REVOCA DI UN UMM Power.....	34
SOTTOMISSIONE DI UNA Market INFORMATION.....	36
REPLACE DI UNA Market INFORMATION	37
REVOCA DI UNA Market INFORMATION	38

INTRODUZIONE

SCOPO DEL DOCUMENTO

L'Applicazione PIP mette a disposizione per il download e l'upload diverse informazioni mediante files in formato xml; questo documento descrive le transazioni, in termini di formati, utilizzate all'interno di tali files.

FLUSSI DI INSERIMENTO

Di seguito l'ordine di inserimento delle informazioni:

1. Asset Power
2. UMM Power

1. Asset Gas
2. UMM Gas

1. Market Information

FORMATO DEGLI SCHEMI

All'interno di questa Implementation Guide vengono presentati gli XSD distinti per ogni sezione del sito, oltre ai tipi consentiti per ogni singolo Xsd. In più sono presenti i prototipi degli Xml da sottomettere al Gatherer con la spiegazione di ogni voce e le modalità per compilare la medesima.

GasAssetManagement.XSD

```
<?xml version="1.0" encoding="iso-8859-1"?>
<xs:schema xmlns:tns="urn:XML-PIPE" elementFormDefault="qualified" targetNamespace="urn:XML-PIPE" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:include schemaLocation = "SimpleTypesv1_0.xsd"/>
  <xs:element name="GasAssetManagement" type="tns:GasAssetManagementFormat" />
  <xs:complexType name="GasAssetManagementFormat">
```

```

        <xs:sequence>
            <xs:element minOccurs="1" maxOccurs="1" name="actionType" type="tns:PipActions" />
            <xs:element minOccurs="0" maxOccurs="unbounded" name="capacity" nillable="true" type="tns:CapacityTag" />
            <xs:element minOccurs="0" maxOccurs="1" name="assetType" type="tns:assetTypeGas" />
            <xs:element minOccurs="0" maxOccurs="1" name="balancingZone" type="tns:lengthSixtyFourType_Base0" />
            <xs:element minOccurs="0" maxOccurs="unbounded" name="ATC" nillable="true" type="tns:AtcTag" />
            <xs:element minOccurs="0" maxOccurs="unbounded" name="affectedAsset" nillable="true" type="tns:AffectedAssetTag" />
            <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipant" nillable="true" type="tns:MarketParticipantTag" />
        />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="CapacityTag">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="unitMeasure" type="tns:unitMesGas" />
        <xs:element minOccurs="0" maxOccurs="1" name="technicalCapacity" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="AffectedAssetTag">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="name" type="tns:lengthSixtyFourType_Base0" />
        <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="eic" type="tns:EicCode" />
        <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="description" type="tns:length128Type" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="AtcTag">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="balancingZoneFrom" type="tns:lengthSixtyFourType_Base0" />
        <xs:element minOccurs="0" maxOccurs="1" name="balancingZoneTo" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="MarketParticipantTag">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="ace" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

PowerAssetManagementFormat.XSD

```

<?xml version="1.0" encoding="iso-8859-1"?>
<xs:schema xmlns:tns="urn:XML-PIPE" elementFormDefault="qualified" targetNamespace="urn:XML-PIPE" xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:include schemaLocation = "SimpleTypesv1_0.xsd"/>

```

```

<xs:element name="PowerAssetManagement" type="tns:PowerAssetManagementFormat" />
<xs:complexType name="PowerAssetManagementFormat">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1" name="actionType" type="tns:PipActions" />
    <xs:element minOccurs="0" maxOccurs="unbounded" name="capacity" nillable="true" type="tns:CapacityTag" />
    <xs:element minOccurs="0" maxOccurs="1" name="assetType" type="tns:lengthSixtyFourType_Base0" />
    <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="fuelType" type="tns:FuelType" />
    <xs:element minOccurs="0" maxOccurs="1" name="biddingZone" type="tns:lengthSixtyFourType_Base0" />
    <xs:element minOccurs="0" maxOccurs="unbounded" name="ATC" nillable="true" type="tns:AtcTag" />
    <xs:element minOccurs="0" maxOccurs="unbounded" name="affectedAsset" nillable="true" type="tns:AffectedAssetTag" />
    <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipant" nillable="true" type="tns:MarketParticipantTag"
  />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="CapacityTag">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="unitMeasure" type="tns:unitMesPower" />
    <xs:element minOccurs="0" maxOccurs="1" name="installedCapacity" type="tns:lengthSixtyFourType_Base0" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="AffectedAssetTag">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="name" type="tns:lengthSixtyFourType_Base0" />
    <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="eic" type="tns:EicCode" />
    <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="description" type="tns:length128Type" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="AtcTag">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="biddingZoneFrom" type="tns:lengthSixtyFourType_Base0" />
    <xs:element minOccurs="0" maxOccurs="1" name="biddingZoneTo" type="tns:lengthSixtyFourType_Base0" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="MarketParticipantTag">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1" name="ace" type="tns:lengthSixtyFourType_Base0" />
  </xs:sequence>
</xs:complexType>
</xs:schema>

```

GasUmmManagementFormat.XSD

```
<?xml version="1.0" encoding="iso-8859-1"?>
<xs:schema xmlns:tns="urn:XML-PIPE" elementFormDefault="qualified" targetNamespace="urn:XML-PIPE" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:include schemaLocation="SimpleTypesv1_0.xsd"/>
  <xs:element name="GasUmmManagement" type="tns:GasUmmManagementFormat" />
  <xs:complexType name="GasUmmManagementFormat">
    <xs:sequence>
      <xs:element minOccurs="1" maxOccurs="1" name="actionType" type="tns:PipUmmActions" />
      <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="updateId" type="tns:numberType" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="eventInfo" nillable="true" type="tns:EventTag" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="capacity" nillable="true" type="tns:CapacityTag" />
      <xs:element minOccurs="0" maxOccurs="1" name="unavailabilityType" type="tns:lengthSixtyFourType_Base0" />
      <xs:element minOccurs="0" maxOccurs="1" name="unavailabilityReason" type="tns:lengthSixtyFourType" />
      <xs:element minOccurs="0" maxOccurs="1" name="remarks" type="tns:lengthFiveHundredType_Base0" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="affectedAsset" nillable="true" type="tns:AffectedAssetTag" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipant" nillable="true" type="tns:MarketParticipantTag" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipantNumber" nillable="true" type="tns:lengthThirtyType" />
      <xs:element minOccurs="0" maxOccurs="1" name="direction" nillable="true" type="tns:Directions" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="EventTag">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="eventType" type="tns:lengthSixtyFourType_Base0" />
      <xs:element minOccurs="0" maxOccurs="1" name="eventStart" type="xs:dateTime" />
      <xs:element minOccurs="0" maxOccurs="1" name="eventStop" type="xs:dateTime" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="CapacityTag">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="unitMeasure" type="tns:unitMesGas" />
      <xs:element minOccurs="0" maxOccurs="1" name="technicalCapacity" type="tns:floatType" />
      <xs:element minOccurs="0" maxOccurs="1" name="availableCapacity" type="tns:floatType" />
      <xs:element minOccurs="0" maxOccurs="1" name="unavailableCapacity" type="tns:floatType" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="AffectedAssetTag">
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="name" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="MarketParticipantTag">
    <xs:sequence>
```



```

    <xs:element minOccurs="1" maxOccurs="1" name="ace" type="tns:AcerCode" />
  </xs:sequence>
</xs:complexType>
<xs:simpleType name="Directions">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Entry"/>
    <xs:enumeration value="Exit"/>
  </xs:restriction>
</xs:simpleType>
</xs:schema>

```

PowerUmmManagementFormat.XSD

```

<?xml version="1.0" encoding="iso-8859-1"?>
<xs:schema xmlns:tns="urn:XML-PIPE" elementFormDefault="qualified" targetNamespace="urn:XML-PIPE" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:include schemaLocation = "SimpleTypesv1_0.xsd"/>
  <xs:element name="PowerUmmManagement" type="tns:PowerUmmManagementFormat" />
  <xs:complexType name="PowerUmmManagementFormat">
    <xs:sequence>
      <xs:element minOccurs="1" maxOccurs="1" name="actionType" type="tns:PipUmmActions" />
      <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="updateId" type="tns:numberType" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="eventInfo" nillable="true" type="tns:EventTag" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="capacity" nillable="true" type="tns:CapacityTag" />
      <xs:element minOccurs="0" maxOccurs="1" name="unavailabilityType" type="tns:lengthSixtyFourType_Base0" />
      <xs:element minOccurs="0" maxOccurs="1" name="unavailabilityReason" type="tns:lengthSixtyFourType" />
      <xs:element minOccurs="0" maxOccurs="1" name="remarks" type="tns:lengthFiveHundredType_Base0" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="affectedAsset" nillable="true" type="tns:AffectedAssetTag" />
      <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipant" nillable="true" type="tns:MarketParticipantTag" />
    </xs:sequence>
  </xs:complexType>
  <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipantNumber" nillable="true" type="tns:lengthThirtyType" />
  <xs:element minOccurs="0" maxOccurs="unbounded" name="capacityIntervals" nillable="true" type="tns:CapacityIntervalList" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="EventTag">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="eventType" type="tns:lengthSixtyFourType_Base0" />
    <xs:element minOccurs="0" maxOccurs="1" name="eventStart" type="xs:dateTime" />
    <xs:element minOccurs="0" maxOccurs="1" name="eventStop" type="xs:dateTime" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="CapacityTag">
  <xs:sequence>

```

```

        <xs:element minOccurs="0" maxOccurs="1" name="unitMeasure" type="tns:unitMesPower" />
        <xs:element minOccurs="0" maxOccurs="1" name="installedCapacity" type="tns:floatType" />
        <xs:element minOccurs="0" maxOccurs="1" name="availableCapacity" type="tns:floatType" />
        <xs:element minOccurs="0" maxOccurs="1" name="unavailableCapacity" type="tns:floatType" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="AffectedAssetTag">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="name" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="MarketParticipantTag">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="ace" type="tns:AcerCode" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="CapacityIntervallList">
    <xs:sequence>
        <xs:element name="CapacityInterval" minOccurs="0" maxOccurs="unbounded" type="tns:CapacityIntervalFormat"></xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="CapacityIntervalFormat">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="intervalStart" type="xs:dateTime" />
        <xs:element minOccurs="1" maxOccurs="1" name="intervalStop" type="xs:dateTime" />
        <xs:element minOccurs="1" maxOccurs="1" name="unavailableCapacity" type="tns:floatType" />
        <xs:element minOccurs="1" maxOccurs="1" name="availableCapacity" type="tns:floatType" />
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

MarketInformationManagement.XSD

```

<?xml version="1.0" encoding="iso-8859-1"?>
<xs:schema xmlns:tns="urn:XML-PIPE" elementFormDefault="qualified" targetNamespace="urn:XML-PIPE" xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:include schemaLocation="SimpleTypesv1_0.xsd"/>
    <xs:element name="MarketInformationManagement" type="tns:MarketInformationManagementFormat" />
    <xs:complexType name="MarketInformationManagementFormat">
        <xs:sequence>
            <xs:element minOccurs="1" maxOccurs="1" name="actionType" type="tns:PipUmmActions" />
            <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="updateId" type="tns:numberType" />
        </xs:sequence>
    </xs:complexType>
</xs:schema>

```

```

        <xs:element minOccurs="0" maxOccurs="unbounded" name="eventInfo" nillable="true" type="tns:EventTag" />
        <xs:element minOccurs="0" maxOccurs="1" name="remarks" type="tns:lengthOneThousandType_Base0" />
        <xs:element minOccurs="0" maxOccurs="unbounded" name="marketParticipant" nillable="true" type="tns:MarketParticipantTag"
/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="EventTag">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="eventType" type="tns:length32Type_Base0" />
        <xs:element minOccurs="0" maxOccurs="1" name="eventStart" type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" nillable="true" name="eventStop" type="xs:dateTime" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="MarketParticipantTag">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="ace" type="tns:lengthSixtyFourType_Base0" />
    </xs:sequence>
</xs:complexType>
</xs:schema>

```

Il seguente file contiene la definizione di tutti i tipi non base utilizzati negli schemi xsd. Il suo namespace XML-PIPE permette l'accesso dagli altri file senza che esso sia referenziato.

SimpleTypesv1_0.XSD

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"

    targetNamespace = "urn:XML-PIPE"
    xmlns:pd = "urn:XML-PIPE"
    elementFormDefault="qualified">

<simpleType name="Actions">
    <restriction base="string">
        <enumeration value="Update" />
        <enumeration value="Insert" />
        <enumeration value="Delete" />
    </restriction>
</simpleType>

```

```
</restriction>
</simpleType>

<simpleType name="PipActions">
  <restriction base="string">
    <enumeration value="New" />
    <enumeration value="REPLACE" />
    <enumeration value="REVOCA" />
  </restriction>
</simpleType>

<simpleType name="PipUmmActions">
  <restriction base="string">
    <enumeration value="New" />
    <enumeration value="REPLACE" />
    <enumeration value="REVOCA" />
    <enumeration value="Hide" />
    <enumeration value="Show" />
  </restriction>
</simpleType>

<simpleType name="numberType">
  <restriction base="integer">
    <minInclusive value="0"/>
    <maxInclusive value="999999"/>
  </restriction>
</simpleType>

<simpleType name="floatType">
  <restriction base="float">
    <minInclusive value="0"/>
    <maxInclusive value="999999"/>
  </restriction>
</simpleType>

<simpleType name="lengthSixtyFourType_Base0">
  <restriction base="string">
    <minLength value="0"/>
    <maxLength value="64"/>
  </restriction>
</simpleType>

<simpleType name="creationDateTimeType">
  <restriction base="integer">
```

```
    <minInclusive value="19000000"/>
    <maxInclusive value="21000000000000"/>
  </restriction>
</simpleType>

<simpleType name="EicCode">
  <restriction base="string">
    <maxLength value="16"/>
    <minLength value="16"/>
    <pattern value="[0-9][0-9][XYZTWW].+"/>
  </restriction>
</simpleType>

<simpleType name="length32Type_Base0">
  <restriction base="string">
    <minLength value="0"/>
    <maxLength value="32"/>
  </restriction>
</simpleType>

<simpleType name="AcerCode">
  <restriction base="string">
    <maxLength value="12"/>
    <minLength value="12"/>
    <pattern value="[A-Za-z0-9_]+\.[A-Z][A-Z]"/>
  </restriction>
</simpleType>

<simpleType name="unitMesGas">
  <restriction base="string">
    <enumeration value="KWh/d"/>
    <enumeration value="KWh/h"/>
    <enumeration value="GWh/d"/>
    <enumeration value="GWh/h"/>
    <enumeration value="GWh"/>
    <enumeration value="TWh"/>
    <enumeration value="mcm/d"/>
  </restriction>
</simpleType>

<simpleType name="unitMesPower">
  <restriction base="string">
    <enumeration value="MW"/>
  </restriction>
</simpleType>
```

```
</simpleType>
```

```
<simpleType name="assetTypeGas">
```

```
  <restriction base="string">
```

```
    <enumeration value="Offshore pipeline"/>
```

```
    <enumeration value="Transmission system"/>
```

```
    <enumeration value="Storage"/>
```

```
    <enumeration value="Injection"/>
```

```
    <enumeration value="Withdrawal"/>
```

```
    <enumeration value="Gas treatment plant"/>
```

```
    <enumeration value="Regasification plant"/>
```

```
    <enumeration value="Compressor station"/>
```

```
    <enumeration value="Gas production field"/>
```

```
    <enumeration value="Import contract"/>
```

```
    <enumeration value="Consumption"/>
```

```
    <enumeration value="Other"/>
```

```
  </restriction>
```

```
</simpleType>
```

```
<simpleType name="FuelType">
```

```
  <restriction base="string">
```

```
    <enumeration value="Biomass"/>
```

```
    <enumeration value="Fossil Brown coal/Lignite"/>
```

```
    <enumeration value="Fossil Coal-derived gas"/>
```

```
    <enumeration value="Fossil Gas"/>
```

```
    <enumeration value="Fossil Hard coal"/>
```

```
    <enumeration value="Fossil Oil"/>
```

```
    <enumeration value="Fossil Oil shale"/>
```

```
    <enumeration value="Fossil Peat"/>
```

```
    <enumeration value="Geothermal"/>
```

```
    <enumeration value="Hydro Pumped"/>
```

```
    <enumeration value="Storage"/>
```

```
    <enumeration value="Hydro Run-of-river and poundage"/>
```

```
    <enumeration value="Hydro Water Reservoir"/>
```

```
    <enumeration value="Marine"/>
```

```
    <enumeration value="Nuclear"/>
```

```
    <enumeration value="Other renewable"/>
```

```
    <enumeration value="Solar"/>
```

```
    <enumeration value="Waste"/>
```

```
    <enumeration value="Wind Offshore"/>
```

```
    <enumeration value="Wind Onshore"/>
```

```
    <enumeration value="Other"/>
```

```
  </restriction>
```

```
</simpleType>  
  
<simpleType name="lengthTwoType">  
  <restriction base="string">  
    <minLength value="1"/>  
    <maxLength value="2"/>  
  </restriction>  
</simpleType>  
  
</schema>
```

TRANSAZIONI XML MESSE A DISPOSIZIONE DEGLI OPERATORI

FUNCTIONAL ACKNOWLEDGMENT

FUNCTIONAL ACKNOWLEDGMENT POSITIVO

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<PIPEFunctionalAcknowledgement xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="urn:XML-PIPE
PIPEFunctionalAcknowledgementv1_0.xsd" ReferenceNumber="4915622" CreationDate="20210112142611" Status="Accept" OriginalReferenceNumber="15183"
Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXX</CompanyName>
        <CompanyIdentifier> A000YYYYY.IT</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <TransactionAcknowledgement Status="Accept" PIPTransactionType="PowerUmmManagement" OriginalReferenceNumber="1" ThreadID="1_002"
MarketParticipantNumber="XXX" />
  <TransactionAcknowledgement Status="Accept" PIPTransactionType="PowerUmmManagement" OriginalReferenceNumber="2" ThreadID="2_001"
MarketParticipantNumber="YYY" />
</PIPEFunctionalAcknowledgement>
```

FUNCTIONAL ACKNOWLEDGMENT NEGATIVO

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<PIPEFunctionalAcknowledgement xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="urn:XML-PIPE
PIPEFunctionalAcknowledgementv1_0.xsd" ReferenceNumber="4914287" CreationDate="20210106154643" Status="Reject" OriginalReferenceNumber="15131"
Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
```



```

        <CompanyName>Gme</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
    </TradingPartner>
</Sender>
<Recipient>
    <TradingPartner PartnerType="Operator">
        <CompanyName>XXX</CompanyName>
        <CompanyIdentifier>A000YYYYY.IT</CompanyIdentifier>
    </TradingPartner>
</Recipient>
</TradingPartnerDirectory>
<TransactionAcknowledgement Status="Reject" PIPTransactionType="PowerUmmManagement" OriginalReferenceNumber="5184182" ThreadID=""
MarketParticipantNumber="XXX">
    <RejectInformation>
        <Reason>4270</Reason>
        <ReasonText>Error text description</ReasonText>
    </RejectInformation>
</TransactionAcknowledgement>
<TransactionAcknowledgement Status="Reject" PIPTransactionType="PowerUmmManagement" OriginalReferenceNumber="5184183" ThreadID=""
MarketParticipantNumber="YYY">
    <RejectInformation>
        <Reason>4270</Reason>
        <ReasonText>Error text description /ReasonText>
    </RejectInformation>
</TransactionAcknowledgement>
</PIPEFunctionalAcknowledgement>

```

FUNCTIONALACKNOWLEDGEMENT.XSD

```

<?xml version="1.0" encoding="iso-8859-1" ?>
<schema
    xmlns="http://www.w3.org/2001/XMLSchema"
    targetNamespace="urn:XML-GM" xmlns:pd="urn:XML-GM"
    elementFormDefault="qualified">
    <include schemaLocation="BaseMessageTypes.xsd" />
    <include schemaLocation="Types.xsd" />
    <complexType name=" TransactionAcknowledgement ">
        <sequence>
            <element ref = "pd:RejectInformation" minOccurs="0" maxOccurs="unbounded"/>
        </sequence>
        <attribute name="TransactionType" type="pd:tyTransactionType" use="optional"/>
        <attribute name="Status" type="pd:tyTransactionStatus" use="required"/>
        <attribute name="PIPTransactionType" type="pd:tyTransactionType" use="optional"/>
        <attribute name="OriginalReferenceNumber" type="string" use="optional"/>
    </complexType>

```

```
<attribute name="ThreadID" type="string" use="optional"/>
<attribute name="MarketParticipantNumber" type="string" use="optional"/>
<attribute name="MPN" type="string" use="optional"/>
<attribute name="XmlOrder" type="int" use="optional"/>
<attribute name="RefId" type="int" use="optional"/>
</complexType>
</schema>
```

ANAGRAFICA DEGLI ASSET

SOTTOMISSIONE DI UN Asset Gas

```
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2181"
CreationDate="20151127124714" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000Z.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasAssetManagement>
      <actionType>New</actionType>
      <capacity>
        <unitMeasure> Unit of Measurement, see the available values value into type definition </unitMeasure>
        <technicalCapacity>1000</technicalCapacity>
      </capacity>
      <assetType>Type of Asset, see the available values value into type definition</assetType>
    </GasAssetManagement>
  </PIPTransaction>
</PIPEDocument>
```

If Asset Type is different from Trasmision use this syntax

```
<balancingZone>00Z0000000000003</balancingZone>
<ATC />
```

If Asset Type is Trasmision use this syntax

```
<ATC>
  <balancingZoneFrom>00Z0000000000001</balancingZoneFrom >
  <balancingZoneTo>00Z0000000000002</balancingZoneTo >
</ATC>
```

```

    <affectedAsset>
      <name>ASSET_GAS_NAME</name>
      <eic>10Y1001A1001A81J</eic>
      <description>Test</description>
    </affectedAsset>
    <marketParticipant>
      <ace>A0000000Z.IT</ace>
    </marketParticipant>
  </GasAssetManagement>
</PIPTransaction>
</PIPEDocument>

```

REPLACE DI UN Asset Gas

```

<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2181"
CreationDate="20151127124714" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000Z.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasAssetManagement>
      <actionType>REPLACE </actionType>
      <capacity>
        <unitMeasure>KWh/d</unitMeasure>
        <technicalCapacity>1000</technicalCapacity>
      </capacity>
      <assetType>Type of Asset, see the available values value into type definition</assetType>
    </GasAssetManagement>
  </PIPTransaction>
</PIPEDocument>

```

If Asset Type is different from Trasmission use this syntax

```
<balancingZone>00Z0000000000003</balancingZone>
<ATC />
```

If Asset Type is Trasmission use this sintax

```
<ATC>
  <balancingZoneFrom>00Z0000000000001</balancingZoneFrom >
  <balancingZoneTo>00Z0000000000002</balancingZoneTo >
</ATC>
<affectedAsset>
  <name>ASSET_GAS_NAME</name>
  <eic>10Y1001A1001A81J</eic>
  <description>Test</description>
</affectedAsset>
<marketParticipant>
  <ace>A0000000Z.IT</ace>
</marketParticipant>
</GasAssetManagement>
</PIPTransaction>
</PIPEDocument>
```

REVOCA DI UN Asset Gas

```
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2181"
CreationDate="20151127124714" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000Z.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasAssetManagement>
      <actionType>REVOCA</actionType>
      <capacity>
```

```
<unitMeasure>KWh/d</unitMeasure>
<technicalCapacity>1000</technicalCapacity>
</capacity>
<assetType>Type of Asset, see the available values value into type definition</assetType>
```

If Asset Type is different from Trasmission use this sintax

```
<balancingZone>00Z0000000000003</balancingZone>
<ATC />
```

If Asset Type is Trasmission use this sintax

```
<ATC>
  <balancingZoneFrom>00Z0000000000001</balancingZoneFrom >
  <balancingZoneTo>00Z0000000000002</balancingZoneTo >
</ATC>
<affectedAsset>
  <name>ASSET_GAS_NAME</name>
  <eic>10Y1001A1001A81J</eic>
  <description>Test</description>
</affectedAsset>
<marketParticipant>
  <ace>A0000000Z.IT</ace>
</marketParticipant>
</GasAssetManagement>
</PIPTransaction>
</PIPEDocument>
```

SOTTOMISSIONE DI UN Asset Power

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2167"
CreationDate="20151127121925" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <PowerAssetManagement>
      <actionType>New</actionType>
      <capacity>
        <unitMeasure>MW</unitMeasure>
        <installedCapacity>10000</installedCapacity>
      </capacity>
      <assetType>Type of Asset, see the available values value into type definition</assetType>
```

If Asset Type is Production use this syntax

```
<fuelType>Biomass</fuelType>
<biddingZone>00Z0000000000003</biddingZone>
<ATC />
```

If Asset Type is Trasmission use this syntax

```
<ATC>
  <biddingZoneFrom>00Z0000000000001</biddingZoneFrom>
  <biddingZoneTo>00Z0000000000002</biddingZoneTo>
</ATC>
```

If Asset Type is different from Trasmission and Production use this syntax

```
<biddingZone>00Z0000000000003</biddingZone>  
<ATC />
```

```
<affectedAsset>  
  <name>ASSET_POWER_NAME</name>  
  <eic>10Y1001A1001A877</eic>  
  <description>AAA</description>  
</affectedAsset>  
<marketParticipant>  
  <ace>A0000000W.IT</ace>  
</marketParticipant>  
</PowerAssetManagement>  
</PIPTransaction>  
</PIPEDocument>
```

REPLACE DI UN Asset Power

```
<?xml version="1.0" encoding="iso-8859-1"?>  
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2167"  
CreationDate="20151127121925" Version="1.0" xmlns="urn:XML-PIPE">  
  <TradingPartnerDirectory>  
    <Sender>  
      <TradingPartner PartnerType="Operator">  
        <CompanyName>XXXXXXX S.P.A.</CompanyName>  
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>  
      </TradingPartner>  
    </Sender>  
    <Recipient>  
      <TradingPartner PartnerType="Operator">  
        <CompanyName>Gme Energy Manager</CompanyName>  
        <CompanyIdentifier>IDGME</CompanyIdentifier>  
      </TradingPartner>  
    </Recipient>  
  </TradingPartnerDirectory>  
<PIPTransaction>  
  <PowerAssetManagement>  
    <actionType>REPLACE Oppure REVOCA</actionType>  
    <capacity>  
      <unitMeasure>MW</unitMeasure>
```



```
<installedCapacity>1000</installedCapacity>
</capacity>
<assetType>Type of Asset, see the available values value into type definition</assetType>
```

If Asset Type is Production use this syntax

```
<fuelType>Biomass</fuelType>
<biddingZone>00Z0000000000003</biddingZone>
<ATC />
```

If Asset Type is Trasmission use this syntax

```
<ATC>
  <biddingZoneFrom>00Z0000000000001</biddingZoneFrom>
  <biddingZoneTo>00Z0000000000002</biddingZoneTo>
</ATC>
```

If Asset Type is different from Trasmission and Production use this syntax

```
<biddingZone>00Z0000000000003</biddingZone>
<ATC />
<affectedAsset>
  <name>ASSET_POWER_NAME</name>
  <eic>10Y1001A1001A877</eic>
  <description>AAA</description>
</affectedAsset>
<marketParticipant>
  <ace>A0000000W.IT</ace>
</marketParticipant>
</PowerAssetManagement>
</PIPTransaction>
</PIPEDocument>
```

REVOCA DI UN Asset Power

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2167"
CreationDate="20151127121925" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
```

```

    <CompanyIdentifier>A000000W.IT</CompanyIdentifier>
  </TradingPartner>
</Sender>
<Recipient>
  <TradingPartner PartnerType="Operator">
    <CompanyName>Gme Energy Manager</CompanyName>
    <CompanyIdentifier>IDGME</CompanyIdentifier>
  </TradingPartner>
</Recipient>
</TradingPartnerDirectory>
<PIPTransaction>
  <PowerAssetManagement>
    <actionType>REVOCA</actionType>
    <capacity>
      <unitMeasure>MW</unitMeasure>
      <installedCapacity>10000</installedCapacity>
    </capacity>
    <assetType>Type of Asset, see the available values value into type definition</assetType>

```

If Asset Type is Production use this syntax

```

<fuelType>Biomass</fuelType>
<biddingZone>00Z000000000003</biddingZone>
<ATC />

```

If Asset Type is Transmission use this syntax

```

<ATC>
  <biddingZoneFrom>00Z000000000001</biddingZoneFrom>
  <biddingZoneTo>00Z000000000002</biddingZoneTo>
</ATC>

```

If Asset Type is different from Transmission and Production use this syntax

```

<biddingZone>00Z000000000003</biddingZone>
<ATC />
<affectedAsset>
  <name>ASSET_POWER_NAME</name>
  <eic>10Y1001A1001A877</eic>
  <description>AAA</description>
</affectedAsset>
<marketParticipant>
  <ace>A000000W.IT</ace>

```

```
    </marketParticipant>  
  </PowerAssetManagement>  
</PIPTransaction>  
</PIPEDocument>
```

GESTIONE DEGLI UMM

SOTTOMISSIONE DI UN UMM Gas

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema" ReferenceNumber="2050"
CreationDate="20151118143626" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasUmmManagement>
      <actionType>New</actionType>
      <updateId xsi:nil="true" />
      <eventInfo>
        <eventType>Offshore pipeline unavailability</eventType>
        <eventStart>2015-11-18T13:36:17.452Z</eventStart>
        <eventStop>2015-11-19T11:00:00Z</eventStop>
      </eventInfo>
      <capacity>
        <unitMeasure>Chose from the available unit type into the xsd definition</unitMeasure>
        <technicalCapacity>1000</technicalCapacity>
        <availableCapacity>500</availableCapacity>
        <unavailableCapacity>500</unavailableCapacity>
      </capacity>
      <unavailabilityType>Planned/Unplanned</unavailabilityType>
      <unavailabilityReason>Text for Unavailability Reason </unavailabilityReason>
      <remarks>Text for describe UMM </remarks>
      <affectedAsset>
```

```

    <name>ASSET_GAS_NAME</name>
  </affectedAsset>
  <marketParticipant>
    <ace>A0000000W.IT</ace>
  </marketParticipant>
  <direction>Entry/Exit</direction>
</GasUmmManagement>
</PIPTransaction>
</PIPEDocument>

```

REPLACE DI UN UMM Gas

```

<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema" ReferenceNumber="2050"
CreationDate="20151118143626" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasUmmManagement>
      <actionType>REPLACE</actionType>
      <updateId>UMM ID to Update</updateId>
      <eventInfo>
        <eventType>The 'Type of Event' details the subject of the unavailability. Se the xsd for the available values</eventType>
        <eventStart>2015-11-18T13:36:17.452Z</eventStart>
        <eventStop>2015-11-19T11:00:00Z</eventStop>
      </eventInfo>
      <capacity>

```

```

    <unitMeasure> Chose from the available unit type into the xsd definition </unitMeasure>
    <technicalCapacity>1000</technicalCapacity>
    <availableCapacity>500</availableCapacity>
    <unavailableCapacity>500</unavailableCapacity>
  </capacity>
  <unavailabilityType>Planned/Unplanned</unavailabilityType>
  <unavailabilityReason>Text for Unavailability Reason </unavailabilityReason>
  <remarks>Text for describe UMM </remarks>
  <affectedAsset>
    <name>ASSET_GAS_NAME</name>
  </affectedAsset>
  <marketParticipant>
    <ace>A0000000W.IT</ace>
  </marketParticipant>
  <direction>Entry/Exit</direction>
</GasUmmManagement>
</PIPTransaction>
</PIPEDocument>

```

REVOCA DI UN UMM Gas

```

<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema" ReferenceNumber="2050"
CreationDate="20151118143626" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <GasUmmManagement>
      <actionType>REVOCA</actionType>
      <updateId>UMM ID to Update</updateId>
    </GasUmmManagement>
  </PIPTransaction>
</PIPEDocument>

```

```

<eventInfo>
  <eventType>Offshore pipeline unavailability</eventType>
  <eventStart>2015-11-18T13:36:17.452Z</eventStart>
  <eventStop>2015-11-19T11:00:00Z</eventStop>
</eventInfo>
<capacity>
  <unitMeasure> Chose from the available unit type into the xsd definition </unitMeasure>
  <technicalCapacity>1000</technicalCapacity>
  <availableCapacity>500</availableCapacity>
  <unavailableCapacity>500</unavailableCapacity>
</capacity>
<unavailabilityType>Planned/Unplanned</unavailabilityType>
<unavailabilityReason>Text for Unavailability Reason </unavailabilityReason>
<remarks>Text for describe UMM </remarks>
<affectedAsset>
  <name>ASSET_GAS_NAME</name>
</affectedAsset>
<marketParticipant>
  <ace>A0000000W.IT</ace>
</marketParticipant>
</GasUmmManagement>
</PIPTransaction>
</PIPEDocument>

```

SOTTOMISSIONE DI UN UMM Power

```

<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2133"
CreationDate="20151124160030" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>

```

```
</Recipient>
</TradingPartnerDirectory>
<PIPTransaction>
  <PowerUmmManagement>
    <actionType>New</actionType>
    <updateId xsi:nil="true" />
    <eventInfo>
      <eventType>Trasmission unavailability</eventType>
      <eventStart>2015-11-24T15:02:02.299Z</eventStart>
      <eventStop>2015-11-28T11:00:00Z</eventStop>
    </eventInfo>
    <capacity>
      <unitMeasure>MW</unitMeasure>
      <installedCapacity>50000</installedCapacity>
      <availableCapacity>45000</availableCapacity>
      <unavailableCapacity>5000</unavailableCapacity>
    </capacity>
    <unavailabilityType>Planned/Unplanned</unavailabilityType>
    <unavailabilityReason>Text for Unavailability Reason</unavailabilityReason>
    <remarks>Text for describe UMM</remarks>
    <affectedAsset>
      <name>ASSET_POWER_NAME</name>
    </affectedAsset>
    <marketParticipant>
      <ace>A0000000W.IT</ace>
    </marketParticipant>
    <capacityIntervals>
      <CapacityInterval>
        <intervalStart>2021-07-11T02:00:00Z</intervalStart>
        <intervalStop>2021-07-12T00:00:00Z</intervalStop>
        <unavailableCapacity>10</unavailableCapacity>
        <availableCapacity>14.5</availableCapacity>
      </CapacityInterval>
      <CapacityInterval>
        <intervalStart>2021-07-14T02:00:00Z</intervalStart>
        <intervalStop>2021-07-19T12:00:00Z</intervalStop>
        <unavailableCapacity>21</unavailableCapacity>
        <availableCapacity>3.5</availableCapacity>
      </CapacityInterval>
    </capacityIntervals>
  </PowerUmmManagement>
</PIPTransaction>
</PIPEDocument>
```


REPLACE DI UN UMM Power

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2133"
CreationDate="20151124160030" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <PowerUmmManagement>
      <actionType>REPLACE </actionType>
      <updateId>UMM ID to Update</updateId>
      <eventInfo>
        <eventType>Trasmission unavailability</eventType>
        <eventStart>2015-11-24T15:02:02.299Z</eventStart>
        <eventStop>2015-11-28T11:00:00Z</eventStop>
      </eventInfo>
      <capacity>
        <unitMeasure>MW</unitMeasure>
        <installedCapacity>50000</installedCapacity>
        <availableCapacity>45000</availableCapacity>
        <unavailableCapacity>5000</unavailableCapacity>
      </capacity>
      <unavailabilityType>Planned/Unplanned</unavailabilityType>
      <unavailabilityReason>Text for Unavailability Reason</unavailabilityReason>
      <remarks>Text for describe UMM</remarks>
      <affectedAsset>
        <name>ASSET_POWER_NAME</name>
      </affectedAsset>
      <marketParticipant>
        <ace>A0000000W.IT</ace>
      </marketParticipant>
    </PowerUmmManagement>
  </PIPTransaction>
</PIPEDocument>
```

```
</PIPTransaction>
</PIPEDocument>
```

REVOCA DI UN UMM Power

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2133"
CreationDate="20151124160030" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <PowerUmmManagement>
      <actionType>REVOCA</actionType>
      <updateId>UMM ID to Update</updateId>
      <eventInfo>
        <eventType>Trasmission unavailability</eventType>
        <eventStart>2015-11-24T15:02:02.299Z</eventStart>
        <eventStop>2015-11-28T11:00:00Z</eventStop>
      </eventInfo>
      <capacity>
        <unitMeasure>MW</unitMeasure>
        <installedCapacity>50000</installedCapacity>
        <availableCapacity>45000</availableCapacity>
        <unavailableCapacity>5000</unavailableCapacity>
      </capacity>
      <unavailabilityType>Planned/Unplanned</unavailabilityType>
      <unavailabilityReason>Text for Unavailability Reason</unavailabilityReason>
      <remarks>Text for describe UMM</remarks>
      <affectedAsset>
        <name>ASSET_POWER_NAME</name>
```

```
</affectedAsset>  
<marketParticipant>  
  <ace>A000000W.IT</ace>  
</marketParticipant>  
</PowerUmmManagement>  
</PIPTransaction>  
</PIPEDocument>
```

SOTTOMISSIONE DI UNA Market INFORMATION

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2106"
CreationDate="20151118151802" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <MarketInformationManagement>
      <actionType>New</actionType>
      <updateId xsi:nil="true" />
      <eventInfo>
        <eventType>qqq</eventType>
        <eventStart>2015-11-18T14:19:15.776Z</eventStart>
        <eventStop>2015-11-19T11:00:00Z</eventStop>
      </eventInfo>
      <remarks>qqq</remarks>
      <marketParticipant>
        <ace>A0000000W.IT</ace>
      </marketParticipant>
    </MarketInformationManagement>
  </PIPTransaction>
</PIPEDocument>
```

REPLACE DI UNA Market INFORMATION

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2106"
CreationDate="20151118151802" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A0000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <MarketInformationManagement>
      <actionType>REPLACE</actionType>
      <updateId>Market Information ID to Update</updateId>
      <eventInfo>
        <eventType>qqq</eventType>
        <eventStart>2015-11-18T14:19:15.776Z</eventStart>
        <eventStop>2015-11-19T11:00:00Z</eventStop>
      </eventInfo>
      <remarks>qqq</remarks>
      <marketParticipant>
        <ace>A0000000W.IT</ace>
      </marketParticipant>
    </MarketInformationManagement>
  </PIPTransaction>
</PIPEDocument>
```

REVOCA DI UNA Market INFORMATION

```
<?xml version="1.0" encoding="iso-8859-1"?>
<PIPEDocument xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ReferenceNumber="2106"
CreationDate="20151118151802" Version="1.0" xmlns="urn:XML-PIPE">
  <TradingPartnerDirectory>
    <Sender>
      <TradingPartner PartnerType="Operator">
        <CompanyName>XXXXXXX S.P.A.</CompanyName>
        <CompanyIdentifier>A000000W.IT</CompanyIdentifier>
      </TradingPartner>
    </Sender>
    <Recipient>
      <TradingPartner PartnerType="Operator">
        <CompanyName>Gme Energy Manager</CompanyName>
        <CompanyIdentifier>IDGME</CompanyIdentifier>
      </TradingPartner>
    </Recipient>
  </TradingPartnerDirectory>
  <PIPTransaction>
    <MarketInformationManagement>
      <actionType>REVOCA</actionType>
      <updateId>Market Information ID to Update</updateId>
      <eventInfo>
        <eventType>qqq</eventType>
        <eventStart>2015-11-18T14:19:15.776Z</eventStart>
        <eventStop>2015-11-19T11:00:00Z</eventStop>
      </eventInfo>
      <remarks>qqq</remarks>
      <marketParticipant>
        <ace>A000000W.IT</ace>
      </marketParticipant>
    </MarketInformationManagement>
  </PIPTransaction>
</PIPEDocument>
```